



**2012**

**RIGGTEK**

*The Evolution in Dissolution Testing*

aktuelle Information 07/2012

# Spritzenvorsatzfilter / syringe filters

beste zertifizierte Qualität von Cronus



*Sie wollen beste Qualität zum günstigen Preis?*

*Probieren Sie die Spritzenvorsatzfilter von* 

- verschiedenste Materialien ganz nach Ihren Wünschen erhältlich ( Glasfieber, Nylon,PTFE, PVDF, PES, regenerated cellulose, Cellulose Actetate)
- Verschiedenste Porengrößen und Filtergrößen
- auch steril
- Farbcodierung
- nach ISO 9001 produziert und immer mit Zertifikat geliefert
- ... die passenden Spritzen bieten wir Ihnen auch an...









***Auf den folgenden Seiten finden Sie eine Übersicht!***  
***Fragen Sie uns an!***

# Spritzenvorsatzfilter / syringe filters

## Übersicht 1



Cronus Filter	Cronus Certified	Description	Filter Size (mm)	Pack Size	
FFNN0402-100 FFNN0402-1000 FFNN1302-100 FFNN1302-1000 FFNN2502-100 FFNN2502-1000	FFNN0402-C-100 FFNN0402-C-1000 FFNN1302-C-100 FFNN1302-C-1000 FFNN2502-C-100 FFNN2502-C-1000	Nylon 4mm, 0.2µm Nylon 4mm, 0.2µm Nylon 13mm, 0.2µm Nylon 13mm, 0.2µm Nylon 25mm, 0.2µm Nylon 25mm, 0.2µm	4 4 13 13 25 25	100 1000 100 1000 100 1000	
FFNN0445-100 FFNN0445-1000 FFNN1345-100 FFNN1345-1000 FFNN2545-100 FFNN2545-1000	FFNN0445-C-100 FFNN0445-C-1000 FFNN1345-C-100 FFNN1345-C-1000 FFNN2545-C-100 FFNN2545-C-1000	Nylon 4mm, 0.45µm Nylon 4mm, 0.45µm Nylon 13mm, 0.45µm Nylon 13mm, 0.45µm Nylon 25mm, 0.45µm Nylon 25mm, 0.45µm	4 4 13 13 25 25	100 1000 100 1000 100 1000	
FPNN2545-100 FPNN2545-1000	FPNN2545-C-100 FPNN2545-C-1000	Nylon with 1µm Glass Fibre Pre-Filter 25mm, 0.45µm Nylon with 1µm Glass Fibre Pre-Filter 25mm, 0.45µm	25 25	100 1000	
FFPT0402-100 FFPT0402-1000 FFPT1302-100 FFPT1302-1000 FFPT2502-100 FFPT2502-1000	FFPT0402-C-100 FFPT0402-C-1000 FFPT1302-C-100 FFPT1302-C-1000 FFPT2502-C-100 FFPT2502-C-1000	PTFE 4mm, 0.2µm PTFE 4mm, 0.2µm PTFE 13mm, 0.2µm PTFE 13mm, 0.2µm PTFE 25mm, 0.2µm PTFE 25mm, 0.2µm	4 4 13 13 25 25	100 1000 100 1000 100 1000	
FFPT0445-100 FFPT0445-1000 FFPT1345-100 FFPT1345-1000 FFPT2545-100 FFPT2545-1000	FFPT0445-C-100 FFPT0445-C-1000 FFPT1345-C-100 FFPT1345-C-1000 FFPT2545-C-100 FFPT2545-C-1000	PTFE 4mm, 0.45µm PTFE 4mm, 0.45µm PTFE 13mm, 0.45µm PTFE 13mm, 0.45µm PTFE 25mm, 0.45µm PTFE 25mm, 0.45µm	4 4 13 13 25 25	100 1000 100 1000 100 1000	
FFPV0445-100 FFPV0445-1000 FFPV1345-100 FFPV1345-1000 FFPV2545-100 FFPV2545-1000	FFPV0445-C-100 FFPV0445-C-1000 FFPV1345-C-100 FFPV1345-C-1000 FFPV2545-C-100 FFPV2545-C-1000	PVDF 4mm, 0.45µm PVDF 4mm, 0.45µm PVDF 13mm, 0.45µm PVDF 13mm, 0.45µm PVDF 25mm, 0.45µm PVDF 25mm, 0.45µm	4 4 13 13 25 25	100 1000 100 1000 100 1000	

# Spritzenvorsatzfilter / syringe filters

## Übersicht 2



Cronus Filter	Cronus Certified	Description	Filter Size (mm)	Pack Size
FFPV0402-100 FFPV0402-1000 FFPV1302-100 FFPV1302-1000	FFPV0402-C-100 FFPV0402-C-1000 FFPV1302-C-100 FFPV1302-C-1000	PVDF 4mm, 0.2µm PVDF 4mm, 0.2µm PVDF 13mm, 0.2µm PVDF 13mm, 0.2µm	4 4 13 13	100 1000 100 1000
FFRC1302-100 FFRC1302-1000 FFRC2502-100 FFRC2502-1000	FFRC1302-C-100 FFRC1302-C-1000 FFRC2502-C-100 FFRC2502-C-1000	Regenerated Cellulose 13mm, 0.2µm Regenerated Cellulose 13mm, 0.2µm Regenerated Cellulose 25mm, 0.2µm Regenerated Cellulose 25mm, 0.2µm	13 13 25 25	100 1000 100 1000
FFRC0445-100 FFRC0445-1000 FFRC1345-100 FFRC1345-1000 FFRC2545-100 FFRC2545-1000	FFRC0445-C-100 FFRC0445-C-1000 FFRC1345-C-100 FFRC1345-C-1000 FFRC2545-C-100 FFRC2545-C-1000	Regenerated Cellulose 4mm, 0.45µm Regenerated Cellulose 4mm, 0.45µm Regenerated Cellulose 13mm, 0.45µm Regenerated Cellulose 13mm, 0.45µm Regenerated Cellulose 25mm, 0.45µm Regenerated Cellulose 25mm, 0.45µm	4 4 13 13 25 25	100 1000 100 1000 100 1000
FFCA1345-100 FFCA1345-1000 FFCA2545-100 FFCA2545-1000	FFCA1345-C-100 FFCA1345-C-1000 FFCA2545-C-100 FFCA2545-C-1000	Cellulose Acetate 13mm, 0.45µm Cellulose Acetate 13mm, 0.45µm Cellulose Acetate 25mm, 0.45µm Cellulose Acetate 25mm, 0.45µm	13 13 25 25	100 1000 100 1000
<b>Sterile Filters</b> FSPS2602-50 FSCA2602-50 <b>Membrane Filters (no housing)</b> FMNN1345-100 FMNN4702-100 FMNN4745-100 FMPT4702-100 FMPT4745-100		PES 25mm, 0.2µm, Sterile Cellulose Acetate 25mm, 0.2µm, Sterile Membrane, Nylon, 13mm, 0.45µm Membrane, Nylon, 47mm, 0.2µm Membrane, Nylon, 47mm, 0.45µm Membrane, PTFE, 47mm, 0.2µm Membrane, PTFE, 47mm, 0.45µm	25 25	50 50 100 100 100 100 100



If the filter you need is not listed, please contact us

**PES- und Glasfieber-Filter siehe in unserer Dissolution-Zubehör-Preisliste!**

# Spritzenvorsatzfilter / syringe filters

## Cronus Zertifikat



## Cronus Certified

Cronus filters are also available as a fully Certified product with each batch of filters tested for bubble point, burst pressure, HPLC extractables, build quality and overall conformance to our strict manufacturing criteria.


Every pack of **Cronus Certified** Filters is supplied with a **Certificate of Compliance** as your guarantee of the product performance and quality. Full laboratory results for any filter are available on request.

HPLC results can only be as good as the weakest component so consistent and reliable sample filtration is essential. **Cronus Certified Filters** represent a new standard in sample preparation excellence and so will give you complete confidence in your results.

### All filters are tested for:

Pore size distribution, bubble point, water breakthrough, housing and membrane integrity, HPLC extractables, permeability and efficiency.

Tested by an independent laboratory





## Sie haben Fragen? Sie wünschen sich eine Vorführung oder Probestellung?

- Besuchen Sie unsere Internetseite [www.riggtek.de](http://www.riggtek.de) oder
- Rufen Sie uns an unter **Tel.: +49 89 740 29 555** oder
- Schreiben Sie uns an [info@riggtek.de](mailto:info@riggtek.de)

Sie erhalten gerne völlig unverbindlich **mehr Informationen!**

***Wir sind für Sie da!***  
Ihr RIGGTEK-Team

